



124-6030c

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaeming
00	602 934 40	1	II. Innenkasten, kpl. Japanausführung ab Bau-Nr. 37 195:	II. Inner case assy. Japan-design from S/No. 37 195:
00	400 302 12	1	II. Innenkasten, kpl.	II. Inner case assy.
01	602 935 40	1	II. Innenkasten SK	II. Inner case
-	484 801 40	1	Anbaut. f. II. Innenkasten SK	Mounting parts for II. inner case
02	469 261 40	2	Gleitschuh, unten kpl. einschl. Bild-Nr. 03-06	Guide shoe, below assy. incl. fig-nos: 03-06
03	602 899 40	2	Gleitstück (anpassen)	Slider (to be adapted)
04	320 433 99	8	Schraube	Bolt
05	003 121 98	8	Schraubensicherung	Screw retention
06	332 111 99	8	Mutter	Nut
07	484 698 40	2	Achse	Axle
08	511 161 40	4	Buchse	Bushing
09	468 958 40	2	Distanzblech	Distance plate
10	468 957 40	2	Achshalter	Axle stirrup
11	311 367 40	2	Halter	Retainer
12	307 810 99	4	Schraube	Bolt
13	332 334 99	4	Mutter	Nut
14	343 112 99	4	Federring	Lock washer
15	307 750 99	4	Schraube	Bolt
16	346 510 99	4	Federring	Lock washer
17	484 696 40	2	Gleitstück (anpassen)	Slider (to be adapted)
18	484 695 40	2	Deckblech	Cover plate
19	502 210 98	6	Schraube	Bolt
20	346 501 99	6	Federring	Lock washer
21	484 457 40	2	Gleitstück (anpassen)	Slider (to be adapted)
22	501 276 98	4	Schraube	Bolt
23	332 226 99	4	Mutter	Nut
23	507 221 98	4	Sicherungsmutter ab Bau-Nr. 37 224	Lock nut from s/no: 37 224
24	340 611 99	4	Scheibe	Washer
24	512 151 98	4	Scheibe ab Bau-Nr. 37 224	Washer from s/no: 37 224
25	484 458 40	2	Deckblech	Cover plate
26	484 694 40	1	Rohrstück	Pipe
27	469 223 40	1	Rohrstück	Pipe
28	408 644 40	4	Bolzen	Pin
29	504 770 98	4	Pendelkugellager	Self-aligning bearing
30	342 107 99	4	Splint	Cotter pin

**II. Innenkasten  
II. Inner Case**

**124-6030c**

Seite/Page 2 / 3

<b>Bild-Nr</b> Fig Fig Fig Fig Bild nr	<b>ET-Nr</b> Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	<b>Stückzahl</b> Qty Qte Ctd Qta Antal		<b>Gegenstand</b> Description Designation Descripcion Designazione Benaemning
31	484 718 40	1	Rohr, kpl.	Pipe assy.
32	533 991 98	4	Schellenhälfte	Half clamp
33	319 133 99	4	Schraube	Screw
34	340 405 99	4	Scheibe	Washer
35	468 354 40	1	Gleitschuh, links	Guide shoe, l.h.
36	468 355 40	1	Gleitschuh, rechts	Guide shoe, r.h.
37	350 562 99	2	Schmiernippel	Grease nipple
38	311 367 40	1	Halter	Retainer
39	508 814 98	2	Schraube	Bolt
40	332 334 99	2	Mutter	Nut
41	504 271 98	2	Federring	Lock washer

**II. Innenkasten**  
**II. Inner Case**

**124-6030c**

Seite/Page 3 / 3