



| Bild-Nr Fig Fig Fig Fig Bild nr | ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr | Stückzahl Qty Qte Ctd Qta Antal | | Gegenstand Description Designation Descripcion Designazione Benaemning |
|------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00 | 393 050 40 | 1 | III. Innenkasten, kpl. | III. Inner case, assy. |
| 01 | 393 017 40 | 1 | III. Innenkasten (SK) | III. Inner case |
| 02 | 355 920 40 | 2 | Gleitschuh, unten, kpl. einschl. Bild-Nr. 03-06 | Guide shoe, below, assy. incl. fig-nos: 03-06 |
| 03 | 355 979 40 | 2 | Gleitstück (anpassen) | Slider (to be adapted) |
| 04 | 320 433 99 | 8 | Schraube | Bolt |
| 05 | 003 121 98 | 8 | Schraubensicherung | Bolt lock |
| 06 | 332 111 99 | 8 | Mutter | Nut |
| 07 | 393 363 40 | 2 | Obere Führung, kpl. einschl. Bild-Nr. 08-11 | Upper guide, assy. incl. fig-nos: 08-11 |
| 08 | 358 322 40 | 2 | Gleitstück (anpassen) | Slider (to be adapted) |
| 09 | 320 433 99 | 6 | Schraube | Bolt |
| 10 | 003 121 98 | 6 | Schraubensicherung | Bolt lock |
| 11 | 332 111 99 | 6 | Mutter | Nut |
| 12 | 317 103 40 | 1 | Untere Führung, rechts, kpl. einschl. Bild-Nr. 14-17 | Lower guide, r.h., assy. incl. fig-nos: 14-17 |
| 13 | 317 104 40 | 1 | Untere Führung, links, kpl. einschl. Bild-Nr. 14-17 | Lower guide, l.h., assy. incl. fig-nos: 14-17 |
| 14 | 317 107 40 | 2 | Gleitstück (anpassen) | Slider (to be adapted) |
| 15 | 320 421 99 | 4 | Schraube | Bolt |
| 16 | 003 121 98 | 4 | Schraubensicherung | Bolt lock |
| 17 | 332 111 99 | 4 | Mutter | Nut |
| 18 | 358 498 40 | 2 | Achse | Axle |
| 19 | 367 877 40 | 2 | Achshalter | Axle stirrup |
| 20 | 394 354 40 | 1 | Rohr | Pipe |
| 21 | 360 136 99 | 2 | Pendelkugellager | Self-aligning bearing |
| 22 | 408 644 40 | 2 | Bolzen | Pin |
| 23 | 307 824 99 | 4 | Schraube | Bolt |
| 24 | 003 818 98 | 4 | Mutter (selbstsichernd) | Nut (self-locking) |
| 25 | 340 581 99 | 4 | Scheibe | Disk |
| 26 | 307 822 99 | 4 | Schraube | Bolt |
| 27 | 346 502 99 | 4 | Federring | Lock washer |
| 28 | 311 465 40 | 4 | Buchse | Bush |
| 29 | 342 105 99 | 2 | Splint | Split pin |
| 30 | 307 601 99 | 6 | Schraube | Bolt |
| 31 | 347 684 40 | 6 | Scheibe | Washer |
| 32 | 346 511 99 | 6 | Federring | Lock washer |
| 33 | 367 876 40 | 2 | Distanzblech | Distance plate |
| 34 | 311 367 40 | 2 | Blech | Plate |
| 35 | 307 750 99 | 4 | Schraube | Bolt |

**III. Innenkasten
III. Inner Case**

124-6032

Seite/Page 2 / 3

| Bild-Nr Fig Fig Fig Fig Bild nr | ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr | Stückzahl Qty Qte Ctd Qta Antal | | Gegenstand Description Designation Descripcion Designazione Benaemning |
|-------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------|
| 36 | 346 510 99 | 4 | Federring | Lock washer |
| 51 | 393 940 40 | 1 | Gleitschuh, links | Guide shoe, l.h. |
| 52 | 393 941 40 | 1 | Gleitschuh, rechts | Guide shoe, r.h. |
| 53 | 311 390 40 | 1 | Gewindeplatte | Thread plate |
| 54 | 350 562 99 | 2 | Schmiernippel | Grease nipple |

III. Innenkasten
III. Inner Case

124-6032

Seite/Page 3 / 3