



124-6185

Seite/Page 1 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
00	778 054 73		Auslegerspitze, kpl.	Boom top section, assy.
01	394 410 40	1	Auslegerspitze (SK)	Boom top section
02	407 024 40	1	Seilschutz	Rope protection
03	307 779 99	4	Schraube	Bolt
04	346 500 99	4	Federring	Lock washer
05	332 197 99	4	Mutter	Nut
06	365 293 40	1	Distanzrohr L=212	Distance sleeve
07	407 010 40	1	Seilrolle, kpl. ø 528 einschl. Bild-Nr. 08,09	Sheave, assy. incl. fig-nos: 08,09
08	002 017 98	1	Zylinderrollenlager	Cylindrical roller bearing
09	500 608 98	2	Sprengring	Snap ring
10	365 296 40	1	Distanzrohr L=282	Distance sleeve
11	407 025 40	1	Achse	Axle
12	317 891 40	2	Achshalter	Axle stirrup
13	307 804 99	4	Schraube	Bolt
14	343 112 99	4	Federring	Lock washer
30	408 893 40	1	Distanzrohr L=177	Distance sleeve
31	407 012 40	1	Festpunkt	Fixed point
32	394 776 40	1	Rad	Wheel
33	340 493 99	3	Scheibe	Washer
34	407 010 40	1	Seilrolle, kpl. ø 528 einschl. Bild-Nr. 35,36	Sheave, assy. incl. fig-nos: 35,36
35	002 017 98	1	Zylinderrollenlager	Cylindrical roller bearing
36	500 608 98	2	Sprengring	Snap ring
37		1	Distanzrohr L=202	Distance sleeve
38	407 025 40	1	Achse	Axle
39	317 891 40	1	Achshalter	Axle stirrup
40	307 804 99	4	Schraube	Bolt
41	343 112 99	4	Federring	Lock washer
42	407 011 40	1	Seilschutz	Rope protection
43	307 779 99	4	Schraube	Bolt
44	346 500 99	4	Federring	Lock washer
45	332 197 99	4	Mutter	Nut
46	245 120 40	1	Halter	Retainer
47	002 813 40	1	Steckstift	Guide pin
48	-	1	Abschaltung siehe EL-Blatt 132-6285	Cut-off device see page 132-6285
49	322 180 99		Seil 1,8 m	Rope
50	001 803 98	2	Seilklemme	Rope clamp
51	268 898 40	1	Schaltgewicht	Shift weight

**Auslegerspitze
Boom Top Section**

124-6185

Seite/Page 2 / 3

Bild-Nr Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
52	335 071 99	1	Bolzen	Pin
53	345 010 99	1	Spannhülse	Dowel sleeve
54	367 019 40	1	Lasche	Shackle
55	334 302 99	1	Bolzen	Pin
56	340 464 99	1	Scheibe	Washer
57	342 035 99	1	Splint	Cotter pin