



188-1920a

Seite/Page 1 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
01	446 776 40	1	Lagerbock, kpl. (einschl. Bild 02-13)	Bearing support assy. (incl. fig.-nos.: 02-13)
02	446 716 40	1	Bock	Trestle
03	-	1	Druckregelventil siehe EL-Blatt 108-1926b	Pressure control valve see page 108-1926b
04	350 750 99	2	Gabelkopf	Fork end
05	002 825 98	2	ES-Bolzen	Clip
06	350 711 99	1	Winkelgelenk	Angle joint
07	*	-	Gewindestange	Threaded rod
08	307 752 99	2	Schraube	Bolt
09	343 094 99	2	Federring	Lock washer
10	634 132 40	1	Trockenbuchse	Dry bush
11	342 514 99	1	Sicherungsring	Circlip
12	625 755 40	1	Hebel	Lever
13	332 111 99	1	Mutter	Nut
15	435 985 40	1	Pedal, kpl. (Drehwerksbremse) (einschl. Bild-Nr.: 16-22)	Pedal assy. (swing gear brake) (incl. fig.-nos.: 16-22)
16	440 391 40	1	Pedal	Pedal
17	307 739 99	2	Schraube	Bolt
18	332 110 99	4	Mutter	Nut
19	340 463 99	4	Scheibe	Washer
20	343 106 99	2	Federring	Lock washer
21	665 888 40	1	Kniehebel, kpl. (einschl. Bild-Nr. 22)	Bellcrank assy (incl. fig.-no. 22)
22	446 634 40	2	Buchse	Bush
29	447 317 40	1	Zugfeder	Draw spring
29	640 630 40	1	Zugfeder für AC 435, AC 615 u. AC 900	Draw spring for AC 435, AC 615 and AC 900
32	461 648 40	1	Vorsteuergerät	Pilot oil unit
33	435 984 40	1	Pedal, kpl. (Drehzahlverstellung) einschl. Bild-Nr. 17-20,34,35	Pedal (speed control) incl. fig-nos. 17-20,34,35
34	440 361 40	1	Pedal	Pedal
35	446 635 40	1	Kniehebel, kpl. (einschl. Bild-Nr. 22)	Bellcrank assy (incl. fig.-no: 22)
40	343 108 99	2	Federring	Lock washer
41	332 111 98	2	Mutter	Nut
42	308 556 99	2	Schraube	Bolt
43	307 406 99	8	Schraube	Bolt
44	504 014 98	24	Federring	Lock washer
45	332 110 99	8	Mutter	Nut
46	340 463 99	8	Scheibe	Washer

Pedaleinbau
Pedal arrangement

188-1920a

Seite/Page 2 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
-	780 309 73	-	Feder zu Bild-Nr. 16,34 * Meterware, bei Bestellung Länge angeben	Spring to fig-nos. 16,34 * Bulk ware, state length required
*	502 484 98	-	Gewindestange	Threaded rod

**Pedaleinbau
Pedal arrangement**

188-1920a

Seite/Page 3 / 3