



286-6012

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
01	161 980 12	1	1. Innenkasten, SK	1. Inner case weldment
02	586 699 40	2	Halter hinten unten	Retainer rear below
03	589 360 40	1	Bügel	Yoke
04	611 851 40	2	Halter vorn oben	Retainer front top
05	668 641 40	1	Seilschutz	Rope protection
06	616 584 40	2	Gleitstück	Slider
07	616 015 40	2	Gleitschuh	Guide shoe
08	616 592 40	2	Gleitbacke	Lining
09	586 680 40	2	Gleitstück	Slider
10	586 698 40	2	Blech	Plate
11	509 865 98	8	Mutter	Nut
12	511 023 98	4	Schraube	Bolt
13	509 832 98	4	Schraube	Bolt
14	511 621 98	4	Gewindestift	Threaded pin
15	509 864 98	4	Mutter	Nut
16	510 494 98	11	Scheibe	Washer
17	654 948 40	2	Tragrolle	Top roller
18	509 862 98	4	Mutter	Nut
19	589 358 40	2	Buchse	Bushing
20	668 642 40	1	Rolle	Roller
21	300 428 12	1	Bolzen	Pin
22	342 444 99	1	Sicherungsring	Snap ring
23	300 426 12	1	Seilrolle, kpl.	Sheave assy.
24	616 195 40	1	Seilschutz	Rope protection
25	510 714 98	4	Schraube	Bolt
26	345 044 99	2	Spannstift	Dowel pin
27	300 283 12	2	Deckel	Cover
28	510 718 98	6	Schraube	Bolt
29	616 197 40	1	Blech	Plate
30	510 686 98	2	Schraube	Bolt
31	616 198 40	4	Platte S=1 mm	Plate
32	616 194 40	1	Seilschutz	Rope protection
33	616 199 40	4	Platte S=2 mm	Plate
34	350 561 99	2	Kegelschmiernippel	Grease nipple
36	510 684 98	2	Schraube	Bolt
37	509 866 98	2	Mutter	Nut
38	616 577 40	1	Halter, links	Retainer, l.h.
39	616 578 40	1	Halter, rechts	Retainer, r.h.
40	509 774 98	2	Schraube	Screw
41	514 037 98	6	Schraube	Bolt

1. Innenkasten
1. Inner Case

286-6012

Seite/Page 2 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
42	300 213 12	1	Rohr	Pipe
43	514 006 98	1	Schraube	Bold
51	300 425 12	1	Seilrolle	Sheave
52	000 557 12	1	Buchse	Bushing

1. Innenkasten
1. Inner Case

286-6012

Seite/Page 3 / 3