



39-6180-1

Seite/Page 1 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
00	678 001 40	1	Runner, kpl.	Runner assy.
01	665 940 40	1	Runner SK	Runner
02	-	2	Umlenkrolle, kpl. s. EL-Blatt 39-6182, etc.	Guide roller assy. see page 39-6182, etc.
03	665 707 40	1	Achse	Axle
04	322 111 40	4	Seilrolle best. aus Bild-Nr. 27-29	Sheave consist. of fig-nos: 27-29
05	308 535 99	4	Schraube	Bolt
06	678 828 40	1	Rohr	Pipe
07	638 723 40	1	Scheibe	Washer
08	665 713 40	4	Bolzen	Pin
09	511 617 98	4	Klappstecker, klein	Fore lock, small
10	592 916 40	4	Klappstecker, groß	Fore lock, big
11	309 167 99	2	Schraube	Bolt
12	125 029 99	2	Mutter	Nut
13	665 706 40	2	Rohr	Pipe
14	334 626 99	2	Mutter	Nut
15	506 807 98	2	Schäkel	Clevis
16	319 246 99	4	Zyl.-Schraube	Screw
17	125 020 99	4	Mutter	Nut
18	343 094 99	4	Federring	Lock washer
19	307 757 99	2	Schraube	Bolt
20	551 363 40	2	Abschaltgewicht	Cutoff weight
21	007 266 98	2	Sicherungsfeder	Locking spring
22	515 538 40	2	Hubendschalter, kpl.	Hoist limit switch assy.
23	509 649 98	-	Kette, Länge angeben	Chain, state lenght required
24	180 425 40	1	Verschlußlager	Bearing
27	322 112 40	1	Seilrolle	Sheave
28	505 940 98	2	Sprengring	Snap ring
29	002 023 98	1	Rollenlager	Roller bearing
30	-	1	Verteilerkasten X563 s. EL-Blatt 39-2252	Distribution box see page 39-2252
			Elektrische Zuleitung von Schaltkasten X563:	Electr. line from switch box X563:
-	552 287 40	2	Zuleitung, kpl. best. aus:	Line assy. consist. of:
-	385 112 40	1	Stecker mit Zugentlastung	Plug with strain relief
-	371 242 40	1	Tülle	Spout
-	368 636 40	1	Verschlußkappe	Tube pole cap
-	405 431 40	1	Stifträger	Pin type socket
-	576 036 40	1	Kabel 12x1x1,5m lang	Cable

**Runner, 4-rollig
Runner**

39-6180-1

Seite/Page 2 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Descrizzione Designazione Benaemning
-	350 340 99	1	Blechschaube	Tapping screw
<div style="display: flex; justify-content: space-between;"> <div data-bbox="197 2033 424 2092"> Runner, 4-rollig Runner </div> <div data-bbox="1225 2011 1487 2069" style="border: 1px solid black; padding: 2px;"> 39-6180-1 </div> </div> <div style="text-align: right; margin-top: 5px;"> Seite/Page 3 / 3 </div>				