



Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
12		1	Achse	Axle
40	979 333 73	1	O-Ring	O-ring
50	770 691 00	3	Rechteckring	Piston ring
60		2	Stiftschraube	Stud
70		2	6kt.-Mutter	Hexagon nut
80		-	Ausgleichsscheibe wahlweise:	Shim optional:
-		1	S = 0,4 mm	S = 0,4 mm
-		1	S = 0,6 mm	S = 0,6 mm
-		1	S = 0,8 mm	S = 0,8 mm
-		1	S = 1,0 mm	S = 1,0 mm
-		1	S = 1,2 mm	S = 1,2 mm
-		1	S = 1,4 mm	S = 1,4 mm
-		1	S = 1,6 mm	S = 1,6 mm
-		1	S = 1,8 mm	S = 1,8 mm
-		1	S = 2,0 mm	S = 2,0 mm
-		1	S = 2,2 mm	S = 2,2 mm
-		1	S = 2,4 mm	S = 2,4 mm
-		1	S = 2,6 mm	S = 2,6 mm
-		1	S = 2,8 mm	S = 2,8 mm
100		1	Stirnrad	Spur gear
110	425 074 12	1	Anlaufscheibe	Thrust washer
130	979 335 73	1	Rollenlager	Roller bearing
140	770 964 00	2	Endscheibe	End shim
150		2	Kolben	Piston
160		2	Profildichtring	Prof. seal ring
170	473 991 12	1	Anlaufblech	Thrust plate
174	473 992 12	1	Anlaufblech	Thrust plate
200	780 330 73	2	Profildichtring	Prof. seal ring
220	770 930 00	2	Druckfeder	Compression spring
230	770 931 00	4	Führungsring	Guide ring
240	770 932 00	2	V-Ring	V-ring
250	770 933 00	2	Führungsring	Guide ring
260	777 303 73	1	Nadelhülse	Needle sleeve
270	473 993 12	1	Sprengring	Snap ring
280	770 967 00	1	Nadelhülse	Needle sleeve
290		1	Sprengring	Snap ring
300		-	Sprengring wahlweise:	Snap ring optional:
-		2	A = 2,25 mm	A = 2,25 mm
-		2	A = 2,30 mm	A = 2,30 mm
-		2	A = 2,35 mm	A = 2,35 mm

**Kupplung  
Coupling**

**993-0278**

Seite/Page 2 / 3

Bild-Nr Fig Fig Fig Fig Bild nr	ET-Nr Part-No No. de Piece No. de Pieza No. del Pezzo Detalj nr	Stückzahl Qty Qte Ctd Qta Antal		Gegenstand Description Designation Descripcion Designazione Benaemning
-		2	A = 2,40 mm	A = 2,40 mm
-		2	A = 2,45 mm	A = 2,45 mm
-		2	A = 2,50 mm	A = 2,50 mm
-		2	A = 2,20 mm	A = 2,20 mm
-		2	A = 2,15 mm	A = 2,15 mm
-		2	A = 2,10 mm	A = 2,10 mm
310	425 076 12	1	Anlaufscheibe	Thrust washer
315		1	Scheibe	Washer
320		1	Stirnrad	Spur gear
340	770 939 00	1	Nadelkranz	Needle cage
360	770 971 00	12	Zylinderrolle	Cylinder roller
390		1	Lamellenträger	Disc carrier
			<b>Kupplung K3</b>	<b>Coupling K3</b>
420	777 305 73	19	Außenlamelle	O. clutch disc
422	979 336 73	2	Außenlamelle	O. clutch disc
430	770 974 00	8	Innenlamelle	I. clutch disc
432	770 975 00	8	Innenlamelle	I. clutch disc
436		-	Innenlamelle wahlweise:	I. clutch disc optional:
-	770 975 00	1	S = 2,0 mm	S = 2,0 mm
-	770 974 00	1	S = 1,5 mm	S = 1,5 mm
-	770 976 00	1	S = 2,5 mm	S = 2,5 mm
			<b>Kupplung K4</b>	<b>Coupling K4</b>
454	770 976 00	1	Innenlamelle	I. clutch disc
456		-	Innenlamelle wahlweise:	I. clutch disc optional:
-	770 975 00	1	S = 2,0 mm	S = 2,0 mm
-	770 974 00	1	S = 1,5 mm	S = 1,5 mm
-	770 976 00	1	S = 2,5 mm	S = 2,5 mm